

## 编译原理 - 作业(1) : 词法分析

截至时间 : 2022.3.15/周二 上课前 (14:20)

提交方式 : 超算习堂 (<https://easyhpc.net/course/144>)

**Q1:** (p114, Exercise 3.1.2) Tagged languages like HTML or XML are different from conventional programming languages in that the punctuation (tags) are either very numerous (as in HTML) or a user-defined set (as in XML). Further, tags can often have parameters. Suggest how to divide the following HTML document:

Here is a photo of **my house**:

`<P><IMG SRC = "house.gif"><BR>`

See [More Pictures](morePix.html) if you liked that one.`<P>`

into appropriate lexemes. Which lexemes should get associated lexical values, and what should those values be?

**Q2:** (p125, Exercises 3.3.2) Describe the languages denoted by the following regular expressions:

- 1)  $a(ab)^*a$
- 2)  $((\epsilon|a)b^*)^*$
- 3)  $(a|b)^*a(a|b)(a|b)$
- 4)  $a^*ba^*ba^*ba^*$
- 5)  $(aa|bb)^*((ab|ba)(aa|bb)^*(ab|ba)(aa|bb)^*)^*$

**Q3:** Write regular expressions for the following languages, or indicate that there exists no such expression:

- 1) Strings over the alphabet  $\{a, b, c\}$  in which no  $a$ 's appear after the first  $b$  (if one exists).
- 2) Binary numbers that are multiples of 4.
- 3) All strings over the alphabet  $\{x, y\}$  that contain no consecutive  $x$ 's (including the empty string).
- 4) Strings over the alphabet  $\{x, y\}$  that have exactly as many  $x$ 's as  $y$ 's.
- 5) Identifiers that start with an uppercase letter and then have one or more alphanumeric characters, ending in a number.

**Q4:** Consider the following regular expression over the alphabet  $\{a, b\}$ :  $a^*b | aa$

- 1) Use M-Y-T algorithm to make an NFA from the regular expression (show it as a state diagram).
- 2) Use subset construction to create a DFA equivalent to the NFA you gave for part 1). Show the construction steps and final transition table.
- 3) Is the DFA in 2) minimized? If yes, explain; otherwise, do the minimization.